

Version: 2 (Replaced 1)

Printing:	14/01/2023	Date of compilation	n: 16/06/2022	Revised: 14/01/2023	Version: 2 (Replaced 1)
SECT	ION 1: IDENTIF	ICATION OF TH	E SUBSTANCE/MI	XTURE AND OF THE CO	MPANY/UNDERTAKING
1.1	Product identifie	er:	NJORD Creed Deodoriser		
	Other means of i	identification:			
	Non-applicable				
1.2	Relevant identifi	ied uses of the su	bstance or mixture	and uses advised against	t:
	Relevant uses: Dec	odorizer			
	Uses advised again	nst: All uses not spe	ecified in this section o	or in section 7.3	
1.3	Details of the su	pplier of the safe	ty data sheet:		
	Njord Chemicals Albion House, Drur OL9 7PS Oldham - Phone: +44 (0) 16 sales@njordchemica www.njordchemica	Únited Kingdom 51 706 1212 cals.com			
1.4	Emergency telep	phone number:	+44 (0) 161 706 1212		

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

### **GB CLP Regulation:**

Classification of this product has been carried out in accordance with GB CLP Regulation. Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Dam. 1: Serious eye damage, Category 1, H318

#### Label elements: 2.2

### **GB CLP Regulation:**

Danger



### Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage.

### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina.

P310: Immediately call a POISON CENTER/doctor.

P501: Dispose of the contents and/or its container using the separate collection system in your municipality.

### Supplementary information:

EUH208: Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, d-limonene, Linalyl acetate , Pentadecan-15-olide. May produce an allergic reaction.

### Substances that contribute to the classification

Alcohol ethoxylated (C9-C11) (8 EO)

### Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	5 <= % (w/w) < 15
Aliphatic hydrocarbons	% (w/w) < 5
perfumes	



Printing: 14/01/2023

### Creed Deodoriser

Revised: 14/01/2023

Version: 2 (Replaced 1)

### SECTION 2: HAZARDS IDENTIFICATION (continued)

Allergenic fragrances: Citral (CITRAL), d-limonene (LIMONENE), Linalool (LINALOOL).

Date of compilation: 16/06/2022

### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

### 3.2 Mixture:

### Chemical description: Perfume/s

### Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	68439-46-3	Alcohol ethoxylated (C9-C11) (8 EO) Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	5 - <10 %
CAS:	115-95-7	Linalyl acetate Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0.3 - <0.5 %
CAS:	54464-57-2	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one           Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0.3 - <0.5 %
CAS:	106-02-5	Pentadecan-15-olide Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	0.1 - <0.3 %
CAS:	5989-27-5	d-limonene Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; () 🚯 🚯 🏠 Skin Sens. 1B: H317 - Danger	
To ob	tain more informat	ion on the hazards of the substances consult sections 11, 12 and 16.	

### SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

#### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable



Printing: 14/01/2023 Date of compilation: 16/06/2022

Revised: 14/01/2023

Version: 2 (Replaced 1)

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...). **Additional provisions:** 

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene



Printing: 14/01/2023

### **Creed Deodoriser**

Revised: 14/01/2023

Version: 2 (Replaced 1)

### SECTION 7: HANDLING AND STORAGE (continued)

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Date of compilation: 16/06/2022

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:2 °CMaximum Temp.:35 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

### DNEL (Workers):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
Linalyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	2.5 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	2.75 mg/m <sup>3</sup>	Non-applicable
d-limonene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	9.5 mg/kg	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	66.7 mg/m <sup>3</sup>	Non-applicable

### DNEL (General population):

		Short	exposure	Lon	g exposure
Identification		Systemic	Local	Systemic	Local
Linalyl acetate	Oral	Non-applicable	Non-applicable	0.2 mg/kg	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	1.25 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	0.68 mg/m <sup>3</sup>	Non-applicable
d-limonene	Oral	Non-applicable	Non-applicable	4.8 mg/kg	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	4.8 mg/kg	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	16.6 mg/m <sup>3</sup>	Non-applicable
PNEC:					
Identification					
Linalyl acetate	STP	1 mg/L	Fresh water		0.011 mg/L
CAS: 115-95-7	Soil	0.115 mg/kg	Marine water		0.001 mg/L

CAS: 115-95-7	Soil	0.115 mg/kg	Marine water	0.001 mg/L
EC: 204-116-4	Intermittent	0.11 mg/L	Sediment (Fresh water)	0.609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.061 mg/kg
Pentadecan-15-olide	STP	10 mg/L	Fresh water	0.0027 mg/L
CAS: 106-02-5	Soil	5.44 mg/kg	Marine water	0.00027 mg/L
EC: 203-354-6	Intermittent	Non-applicable	Sediment (Fresh water)	21 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	4.2 mg/kg

- CONTINUED ON NEXT PAGE -



Printing: 14/01/2023 Date o

Date of compilation: 16/06/2022

Revised: 14/01/2023

Version: 2 (Replaced 1)

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
d-limonene	STP	1.8 mg/L	Fresh water	0.014 mg/L
CAS: 5989-27-5	Soil	0.763 mg/kg	Marine water	0.0014 mg/L
EC: 227-813-5	Intermittent	Non-applicable	Sediment (Fresh water)	3.85 mg/kg
	Oral	0.133 g/kg	Sediment (Marine water)	0.385 mg/kg

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+ A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

### D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

#### E.- Body protection

Pictogram	PPE	Remarks
	Work clothing	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

### F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
<b>^</b>	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>•</b> +	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

#### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D



Date of compilation: 16/06/2022 Printing: 14/01/2023 Revised: 14/01/2023 Version: 2 (Replaced 1) SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1 Information on basic physical and chemical properties: For complete information see the product datasheet. **Appearance:** Physical state at 20 °C: Liquid Appearance: Emulsion Colour: White Odour: Pleasant Odour threshold: Non-applicable \* Volatility: Boiling point at atmospheric pressure: 101 °C Vapour pressure at 20 °C: 2347 Pa Vapour pressure at 50 °C: 12364.44 Pa (12.36 kPa) Evaporation rate at 20 °C: Non-applicable \* **Product description:** Density at 20 °C: 1027.3 kg/m<sup>3</sup> 1.027 Relative density at 20 °C: Non-applicable \* Dynamic viscosity at 20 °C: Kinematic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 40 °C: >20.5 mm<sup>2</sup>/s Concentration: Non-applicable \* pH: 8 - 9 (ASTM D3838-05) (at 100 %) Vapour density at 20 °C: Non-applicable \* Partition coefficient n-octanol/water 20 °C: Non-applicable \* Solubility in water at 20 °C: Non-applicable \* Solubility properties: Completely miscible Non-applicable \* Decomposition temperature: Melting point/freezing point: Non-applicable \* Flammability: Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable \* Autoignition temperature: 225 °C Lower flammability limit: Non-applicable \* Upper flammability limit: Non-applicable \* **Particle characteristics:** Median equivalent diameter: Non-applicable 9.2 Other information: Information with regard to physical hazard classes: Explosive properties: Non-applicable \* Oxidising properties: Non-applicable \* Corrosive to metals: Non-applicable \* Heat of combustion: Non-applicable \* Aerosols-total percentage (by mass) of flammable Non-applicable \* components: Other safety characteristics: \*Not relevant due to the nature of the product, not providing information property of its hazards.

### - CONTINUED ON NEXT PAGE -



 Printing: 14/01/2023
 Date of compilation: 16/06/2022
 Revised: 14/01/2023
 Version: 2 (Replaced 1)

 SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

 Surface tension at 20 °C:
 Non-applicable \*

 Refraction index:
 Non-applicable \*

 \*Not relevant due to the nature of the product, not providing information property of its hazards.

### SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity		
Not applicable	Not applicable	Precaution	Precaution	Not applicable		

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):



Printing: 14/01/2023 Date of compilation: 16/06/2022 Revised: 14/01/2023 Version: 2 (Replaced 1) SECTION 11: TOXICOLOGICAL INFORMATION (continued) - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: d-limonene (3); White mineral oil, >=20.5mm2/s (40°C) (3) Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. E- Sensitizing effects: Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. G- Specific target organ toxicity (STOT)-repeated exposure: - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. H- Aspiration hazard: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Acute toxicity Genus

Alcohol ethoxylated (C9-C11) (8 EO)	LD50 oral	500 mg/kg (ATEi)	
CAS: 68439-46-3	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
Linalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation	>20 mg/L	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LD50 oral	>5000 mg/kg	
CAS: 54464-57-2	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
Pentadecan-15-olide	LD50 oral	>5000 mg/kg	
CAS: 106-02-5	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>5 mg/L	
d-limonene	LD50 oral	4400 mg/kg	Rat
CAS: 5989-27-5	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation	>20 mg/L	

#### Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Oral	6666.67 mg/kg (Calculation method)	0 %
Dermal	>5000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available



Date of compilation: 16/06/2022 Printing: 14/01/2023

Revised: 14/01/2023

Version: 2 (Replaced 1)

## SECTION 12: ECOLOGICAL INFORMATION (continued)

### 12.1 Toxicity:

### Acute toxicity:

Identification		Concentration	Species	Genus
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 54464-57-2	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae
Pentadecan-15-olide	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 106-02-5	EC50	>1 - 10 mg/L (48 h)		Crustacean
	EC50	>1 - 10 mg/L (72 h)		Algae
d-limonene	LC50	0.702 mg/L (96 h)	Pimephales promelas	Fish
CAS: 5989-27-5	EC50	0.577 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Non-applicable		

### 12.2 Persistence and degradability:

### Substance-specific information:

Identification	Deg	radability	Biodegradability	
Linalyl acetate	BOD5	Non-applicable	Concentration	81 mg/L
CAS: 115-95-7	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	80 %
d-limonene	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 5989-27-5	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	71.4 %

### 12.3 Bioaccumulative potential:

### Substance-specific information:

	Identification	Bioaccun	nulation potential
Linalyl acetate		BCF	174
CAS: 115-95-7		Pow Log	3.9
		Potential	High
d-limonene		BCF	
CAS: 5989-27-5		Pow Log	4.83
		Potential	

### 12.4 Mobility in soil:

Identification	At	Absorption/desorption		Volatility
Linalyl acetate	Кос	518	Henry	177 Pa·m <sup>3</sup> /mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
	Surface tension	n Non-applicable	Moist soil	Yes
d-limonene	Кос	6324	Henry	2533.13 Pa·m <sup>3</sup> /mol
CAS: 5989-27-5	Conclusion	Immobile	Dry soil	Yes
	Surface tensio	on 2.675E-2 N/m (25 °C)	Moist soil	Yes

### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:



Printing: 14/01/2023

**Creed Deodoriser** 

Version: 2 (Replaced 1)

### SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Date of compilation: 16/06/2022

Code	Description	Waste class
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Revised: 14/01/2023

### Type of waste:

HP14 Ecotoxic

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

### **Regulations related to waste management:**

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

### SECTIC

	FRANSPORT INFORMATION	
-	rt of dangerous goods by land ard to ADR 2021 and RID 2021:	:
<b>14.1</b>	UN number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
	Packing group:	Non-applicable
	Environmental hazards:	No
14.6		
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
ranspo	rt of dangerous goods by sea:	
ith rega	ard to IMDG 40-20:	
14.1		Non-applicable
14.2		Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
		Non-applicable
	Marine pollutant:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	EmS Codes:	
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
	Segregation group:	Non-applicable
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
ranspo	rt of dangerous goods by air:	
	ard to IATA/ICAO 2022:	



Printing: 14/01/2023	Date of compilation: 16/0	6/2022 F	Revised: 14/01/2023	Version: 2 (Replaced 1)				
SECTION 14: 1	SECTION 14: TRANSPORT INFORMATION (continued)							
14.1	UN number:	Non-applicable						
14.2	UN proper shipping name:	Non-applicable						
14.3	Transport hazard class(es): Labels:	Non-applicable Non-applicable						
14.4	Packing group:	Non-applicable						
14.5	Environmental hazards:	No						
14.6	Special precautions for user							
	Physico-Chemical properties:	see section 9						
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable						

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable

#### - Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

#### The Detergents (Amendment) (EU Exit) Regulations:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in The Detergents (Amendment) (EU Exit) Regulations. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

#### Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	5 <= % (w/w) < 15
Aliphatic hydrocarbons	% (w/w) < 5
perfumes	

Allergenic fragrances: Citral (CITRAL), d-limonene (LIMONENE), Linalool (LINALOOL).

#### The Control of Major Accident Hazards Regulations 2015:

Non-applicable

# Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations

2020.

Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

COSHH-SR24 Storing chemical products (small scale).

COSHH-SR2 Diluting chemical concentrates.

COSHH-SR4 Manual cleaning and disinfecting surfaces.

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019: SCHEDULE 34 - Amendment of Regulation (EC) No 1223/2009 and related amendments.

The Detergents (Amendment) (EU Exit) Regulations 2020.



Printing: 14/01/2023 Date of compilation: 16/06/2022

Revised: 14/01/2023

Version: 2 (Replaced 1)

# SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

#### Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### **GB CLP Regulation:**

Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

#### Classification procedure:

Eye Dam. 1: Calculation method Aquatic Chronic 3: Calculation method

### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.