Damp Mopping



Objective of this Task.

This task is usually carried out after Dust Mop Sweeping or Vacuuming a floor area.

Damp Mopping will remove localised soiling, dirt and light spillages from a hard floor leaving a clean safe surface.



Health and Safety Requirements

- Wear appropriate PPE.
- Using the correct colour code, assemble your equipment and carry out safety checks
- Read product labels and refer to dilutions of chemicals before use
- Put out floor signs in the area being worked
- Ventilate the area if possible
- Never leave equipment in a position where it might be a hazard.
- Room for images or pictogrammes



Equipment

- Single bucket mopping unit, correct colour for area being cleaned
- Mop and stale Correct colour for area being cleaned.
- Abrasive pad
- Chemical dosing measure
- Safety Sign

Products

- Multi-Purpose Cleaner
- Neutral floor Cleaner
- Bactericidal Detergent






Method

- Wear the appropriate PPE
- Read Product label and or product wall charts for appropriate dilution of floor cleaning product.
- Measure the cleaning product with a pelican pump, syringe or measuring jug and add to water.
- Place cap back on chemical



Method Continued

- Charge the mop in your cleaning solution and partially wring.
- Start mopping at the furthest point from your exit.
- Mop the flooring cutting around the edges first.
- Working back using overlapping passes or figure of eight mop the floor working in manageable areas.
- Ensure passes overlap
- Recharge the mop frequently.
- Use the abrasive pad to remove any heavier marks.
- For larger areas or dirty areas change the water when required.





Method Continued

- Wipe any splashes from skirtings or paintwork
- Dispose of dirty water.
- Clean down equipment, rinse and wring mops and return to store.
- Store mops upside down or fanned out to prevent odour.
- Close any windows if opened



Practical Assessment



QUESTIONS

