

Double Solution Mopping

Dukeries
Cleaning Supplies



Objective of this Task.

This task is usually carried out after Dust Mop Sweeping or Vacuuming a floor area.


Double Solution Mopping will remove localised medium soiling, dirt and light spillages from a hard floor leaving a clean safe surface.

Health and Safety Requirements

- Wear appropriate PPE
- Using the correct colour code, assemble your equipment and carry out safety checks
- Read product labels and refer to dilutions of chemicals before use
- Put out floor signs in the area being worked
- Ventilate the area if possible
- Never leave equipment in a position where it might be a hazard

Equipment

- Double bucket mopping unit, correct colour for area being cleaned
- Mop and stale - Correct colour for area being cleaned.
- Abrasive pad
- Safety Sign
- Pelican Pump, Syringe or measuring jug



Products

- Multi-Purpose Cleaner
- Neutral floor Cleaner
- Bactericidal Detergent



Method

- Wear the appropriate PPE
- Read Product label and or product wall charts for appropriate dilution of floor cleaning product.
- Measure the cleaning product with a pelican pump, syringe or measuring jug and add to water.
- Place cap back on chemical


Method Continued

- Read Product label and or product wall charts for appropriate dilution of floor cleaning product
- Measure the cleaning product with a pelican pump, syringe or measuring jug and add to water in one side of the bucket
- Place cap back on chemical



Method Continued

- Charge the mop in your cleaning solution and partially wring
- Start mopping at the furthest point from your exit
- Mop the flooring cutting around the edges first
- Working back using overlapping passes or figure of eight mop the floor in manageable areas
- Ensure passes overlap
- Recharge the mop frequently wring out the dirty water into the empty side of the bucket
- Use the abrasive pad to remove any heavier marks
- For larger areas or dirty areas change the water when required



Method Continued

- Wipe any splashes from skirtings or paintwork
- Dispose of dirty water
- Clean down equipment, rinse and wring mops and return to store
- Store mops upside down or fanned out to prevent odour
- Close any windows that you may have opened



Practical Assessment



QUESTIONS

